

**From:** Paula Allen  
**Sent:** 18 August 2022 12:42  
**To:** DMST  
**Subject:** FW: 7/2022/4054 - Demolition of Ennerdale Mill - Wildlife Tower  
**Attachments:** Wildlife Tower\_01 Proposed Layout.pdf; UU.ES.E.P.ENNMILL.394.501.03 Rev B.pdf

**Follow Up Flag:** Follow up  
**Flag Status:** Completed

Hi

Can the email string below be captured on swift and website so that we can show the audit trail please?

The plans have been uploaded previously – thank you

Paula

Paula Allen  
Strategy Planner  
Lake District National Park Authority  
Direct Dial: [REDACTED]

[lakedistrict.gov.uk](http://lakedistrict.gov.uk) | [Twitter](#) | [Facebook](#) | [Instagram](#) | [LinkedIn](#)

My work pattern is Monday - Wednesday in Strategy and Partnerships, and Thursday-Friday in Development Management.

---

**From:** Buckley, Matthew [mailto:[REDACTED]]  
**Sent:** 10 August 2022 16:02  
**To:** Paula Allen <[REDACTED]>  
**Subject:** RE: 7/2022/4054 - Demolition of Ennerdale Mill - Wildlife Tower

Paula

Thank you for the confirmation regarding this

Please find attached an updated location plan showing where the wildlife tower will be located as well as a scaled drawing of this.

In regards to the changing of the description – I have no issues with this changing to include the wildlife tower

If you have any queries or need anything further then do not hesitate to contact me

Regards

Matt



**Matt Buckley**  
Senior Environmental Planner  
Planning, Landscape and Ecology  
M: 07909 627 477  
unitedutilities.com

---

**From:** Paula Allen [mailto: [REDACTED]]  
**Sent:** 10 August 2022 13:44  
**To:** Buckley, Matthew < [REDACTED] >  
**Subject:** RE: 7/2022/4054 - Demolition of Ennerdale Mill - Wildlife Tower

**EXTERNAL EMAIL** This email originated outside of the organisation. Do not click links or open attachments unless you recognise the sender and know the content is safe.

Hello

You do not need to submit a new application.

We do however need the details for the free standing eco-tower before we can fully assess the current application, such as scaled drawings and location within the site.

We may also need to change the description.

Regards

Paula

Paula Allen  
Strategy Planner  
Lake District National Park Authority  
Direct Dial: [REDACTED]

[lakedistrict.gov.uk](http://lakedistrict.gov.uk) | [Twitter](#) | [Facebook](#) | [Instagram](#) | [LinkedIn](#)

My work pattern is Monday - Wednesday in Strategy and Partnerships, and Thursday-Friday in Development Management.

---

**From:** Buckley, Matthew < [REDACTED] >  
**Sent:** 04 August 2022 08:58  
**To:** Planning < [REDACTED] >  
**Subject:** 7/2022/4054 - Demolition of Ennerdale Mill - Wildlife Tower

**7/2022/4054 - Demolition of Ennerdale Mill**

**FAO Paula Allen**

I am emailing in regards to the findings of the bat survey report that has been recently completed for the works at Ennerdale Mill and the mitigation required under this. The mitigation proposed (extract below from the report) includes the construction of a free standing eco-tower

#### Mitigation

In order to compensate for the loss of roosting locations, replacement roosting features will need to be installed. As there will be no replacement building, stand-alone bat roosting features will need to be installed;

- It is recommended that a free-standing eco-tower be constructed on site;
  - This will comprise a structure that provides nesting and roosting space for barn owls as well as roosting opportunities for bats;
  - Stonework from the existing mail buildings should be re-used as construction materials for the eco-tower;
  - At least five crevice roost features should be included as mitigation for the loss of bat roosts;

We have been in discussions with our ecologist regarding this over the past few weeks and the proposed tower is detailed on the attached plan. This tower is proposed to be located on the footprint of the piggeries and finished using stone from this building to minimise the visual impact as far as possible. The wildlife tower will be located within the current red line boundary of the Planning Application and I was just wondering if it would be possible for this to be dealt with as an addition to the application currently submitted or if we would need to submit a new Planning Application for this

Any advice that you are able to provide on this would be greatly appreciated

Regards

Matt



**Matt Buckley**  
Senior Environmental Planner  
Planning, Landscape and Ecology  
**M:** 07909 627 477  
unitedutilities.com

The information contained in this e-mail is intended only for the individual to whom it is addressed. It may contain legally privileged or confidential information or otherwise be exempt from disclosure. If you have received this Message in error or there are any problems, please notify the sender immediately and delete the message from your computer. You must not use, disclose, copy or alter this message for any unauthorised purpose. Neither United Utilities Group PLC nor any of its subsidiaries will be liable for any direct, special, indirect or consequential damages as a result of any virus being passed on, or arising from the alteration of the contents of this message by a third party.

United Utilities Group PLC, Haweswater House, Lingley Mere  
Business Park, Lingley Green Avenue, Great Sankey,  
Warrington, WA5 3LP  
Registered in England and Wales. Registered No 6559020

[www.unitedutilities.com](http://www.unitedutilities.com)

[www.unitedutilities.com/subsidiaries](http://www.unitedutilities.com/subsidiaries)

This email contains information intended for the addressee only. It may be confidential and may be the subject of legal and/or professional privilege.. Any dissemination, distribution, copyright or use of this communication without prior permission of the addressee is strictly prohibited. Any views or opinions presented are solely those of the author and do not necessarily represent those of the Lake District National Park Authority. Although this email and any attachments are believed to be free of any virus or other defects which might affect any computer or IT system into which they are received, no responsibility is accepted by the Lake District National Park Authority for any loss or damage arising in any way from the receipt or use thereof. Computer systems of this Authority may be monitored and communications carried out on them recorded, to secure the effective operation of the system and for other lawful purposes.